





1. HEAVY DUTY PAVEMENT SECTION SHALL BE AS PER ABOVE SECTION OR MATCH EXISTING PAVEMENT DEPTH, WHICHEVER IS GREATER.
2. SUBGRADE PREPARATION AND COMPACTION PER ODOT 204.
3. MAINTAIN POSITIVE DRAINAGE FROM BUILDING TO FACE OF CURB.
4. THE EDGES OF THE PAVEMENT CUT SHALL BE SQUARED UP AND NEATLY SAW CUT TO FULL PAVEMENT DEPTH AND SEALED WITH ASPHALT MATERIAL PER ODOT 409.
5. ODOT 407 TACK COAT SHALL BE APPLIED AT A RATE OF 0.10 GAL/SY BETWEEN ALL COLD ASPHALT LAYERS AND ALONG ALL JOINT FACES.


CONTRACTOR TO CALL 811 PRIOR TO EXCAVATION SHALL
POTHOLE TO VERIFY UTILITY LOCATIONS WITHIN WORK ZONE
CONTACT ENGINEER IMMEDIATELY IF ANY UTILITIES ARE
EXPOSED OR ARE IN CONFLICT WITH THESE PLANS.

2 WORKING DAYS
BEFORE YOU DIG
CALL TOLL FREE 8-1-1
OHIO UTILITIES PROTECTION SERVICE



- LIMITS OF CLEARING AND GRADING**
- TYPE 6 CURB, SEE DETAIL THIS SHEET**
- SINGLE ROW, WELDED WIRE MESH GABIONS,
3'X3'X3' GALVANIZED 9 GAGE STEEL (3'
HEIGHT)**
- STACKED WELDED WIRE MESH GABIONS,
3'X3'X3' GABIONS TOPPED WITH 3'X3'X1.5'
GALVANIZED 9 GAGE STEEL WELDED WIRE
MESH GABION (4.5' TOTAL HEIGHT)**
- 30 EACH 3'X3'X3' GABIONS
11 EACH 3'X3'X1.5' GABIONS**

- | | | | |
|---|--|---|--------------------|
|  | — P.K.(MASONRY) NAIL SET | | CURVE DATA: |
|  | — POWER POLE | | L = ARC |
|  | — LIGHT POLE | | R = RADIUS |
| | | | Δ = DELTA |
|  | — TELEPHONE POLE | | BRG = BEARING |
|  | — HYDRANT | | CH = CHORD LENGTH |
|  | — CATCH BASIN | | T = TANGENT |
|  | — WATER METER | | N = NORTH |
|  | — WATER VALVE | | S = SOUTH |
| | | | E = EAST |
| | | | W = WEST |
|  | — GAS VALVE | | SQ= SQUARE |
|  | — GAS LINE MARKER | | I.B. = IRON BAR |
| | | | FT = FOOT |
|  | — SEWER, STORM, OR
SANITARY MANHOLE | | HT= HEIGHT |
|  | — ELECTRIC BOX |  | — DRAINAGE PIPE |
|  | — CENTERLINE |  | — VAULT |
|  | — RAILROAD CROSSING SIGN | | MON. = MONUMENT |
|  | — GAS METER | | FRM = FRAME |
| | | | COMM. = COMMERCIAL |
| | | | AC. = ACRES |
|  | — ELECTRIC LINE MARKER |  | — MANHOLE |
| | |  | — POST |



JSS ENGINEERING, LLC
5585 KINGWOOD LANE
GIRARD, OHIO 44420
330-696-0248 / JSS.PEPS@GMAIL.COM



SITE PLAN

